



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

				-
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/353,120	07/14/1999	LOUIS F. VILLAROSA JR.	061607-1100	3012
7590 07/09/2004 SCOTT A HORSTEMEYER THOMAS KAYDEN HORSTEMEYER & RISLEY LLP 100 GALLERIA PARKWAY N W			EXAMINER	
			KUMAR, PANKAJ	
			ART UNIT	PAPER NUMBER
<b>SUITE 1500</b>			2631	21
ATLANTA, GEORGIA	303395948		DATE MAILED: 07/09/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

ı i						
		Application No.	Applicant(s)			
'o cet		09/353,120	VILLAROSA ET AL.			
•	Office Action Summary	Examiner	Art Unit			
		Pankaj Kumar	2631			
Period fo	The MAILING DATE of this communication ap or Reply	pears on the cover sheet with the	e correspondence address			
A SH THE - Exte after - If the - If NC - Failt Any	IORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. In sicins of time may be available under the provisions of 37 CFR 1. If SIX (6) MONTHS from the mailing date of this communication. It is period for reply specified above is less than thirty (30) days, a reput or period for reply is specified above, the maximum statutory period ure to reply within the set or extended period for reply will, by statut reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be oly within the statutory minimum of thirty (30) of will apply and will expire SIX (6) MONTHS e. cause the application to become ABANDO	timely filed  days will be considered timely.  om the mailing date of this communication.  NED (35 U.S.C. & 133)			
Status						
1)🛛	Responsive to communication(s) filed on <u>01 N</u>	March 2004				
2a)□	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3)□						
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)⊠ 6)⊠ 7)⊠	Claim(s) 1-7,10-16,19-22,25 and 27-29 is/are 4a) Of the above claim(s) is/are withdra Claim(s) 1-7,10,16,19-20,27 and 28 is/are allo Claim(s) 11-15,25 and 29 is/are rejected. Claim(s) 21 and 22 is/are objected to. Claim(s) are subject to restriction and/o	owed.				
Applicat	ion Papers					
10)□	The specification is objected to by the Examine The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine The specification is objected.	cepted or b) objected to by the drawing(s) be held in abeyance. Setion is required if the drawing(s) is a	See 37 CFR 1.85(a). Objected to. See 37 CFR 1.121(d).			
		Adminer. Note the attached Offic	Ce Action of John P10-152.			
12) [ a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea See the attached detailed Office action for a list	ts have been received. ts have been received in Applica prity documents have been recei uu (PCT Rule 17.2(a)).	ation No  Ived in this National Stage			
Attachman	*(a)					
<b>Attachmen</b> 1) ⊠ Notic	τ(s) se of References Cited (PTO-892)	4) 🔲 Interview Summa	iry (PTO-413)			
2) 🔲 Notic 3) 🔲 Inform	r No(s)/Mail Date	Paper No(s)/Mail				

Art Unit: 2631

#### **DETAILED ACTION**

## Response to Arguments

- 1. Applicant's arguments with respect to claims 11-15, 25 and 29 have been considered but are most in view of the new ground(s) of rejection.
- 2. The amendments to claims previously cited to be allowable do not affect their status except an objection to the numbering of claims 21 and 22.

## Response to Amendment

#### Claim Objections

3. A series of singular dependent claims is permissible in which a dependent claim refers to a preceding claim which, in turn, refers to another preceding claim.

A claim which depends from a dependent claim should not be separated by any claim which does not also depend from said dependent claim. It should be kept in mind that a dependent claim may refer to any preceding independent claim. In general, applicant's sequence will not be changed. See MPEP § 608.01(n).

Accordingly, claims 21 and 22 are objected.

## Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2631

Claims 11, 12, 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Hedberg USPN 5,526,361.

- 5. As per claim 11, Hedberg shows a method for detecting errors in the synchronization of a DTE data signal (Hedberg fig. 3: Din) with a DCE clocking signal (Hedberg fig. 3: CKout) in a communication environment wherein the DCE (Hedberg element where CKout is going from fig. 3) interfaces the DTE (Hedberg element outputting Din which is input into fig. 3) to a communication channel, the method comprising the steps of:
  - a. providing a master clock signal (Hedberg fig. 3: CKin);
  - b. deriving a DCE clocking signal (Hedberg fig, 3: CKout) and an internal clocking signal (Hedberg fig. 3: output of delta Ts) from said master clocking signal (Hedberg fig. 3: CKin), said internal clocking signal having the same frequency as the and said DCE clocking signal (Hedberg: Summary section including "... first combining means for combining the phase shifted signals in groups for obtaining a number of pulses with a length corresponding to the phase shift between the outputs of the corresponding group and the same frequency as that of the reference signal ...") having a first frequency that is a fraction of the frequency of the master clock signal (Hedberg: fig. 20 shows X is CK out. Fig. 21 shows X has a frequency which is a 2/1 fraction of CKin. Figs. 15 and 16 show output of delta Ts have a frequency which is a 1/1 fraction of the CK in signal. Figures 15 and 16 also show X has a frequency which is a 2/1 fraction of CKin and X from fig. 21 is CKout.);
  - c. obtaining a first sample of said DTE data signal at a first time a second sample of said DTE data signal at a second time, said second time being subsequent to said first

Art Unit: 2631

time, the time interval between said first time and said second time being less than the period of the DCE clocking signal (Hedberg fig 3: 55 just rotates clock between 0 and 360 degrees. Suppose it rotates it 90 degrees, that means the clock will be shifted a little but the shift will be less than 1 period length.)

- d. comparing said first sample to said second sample and determining whether the DTE data signal has undergone a transition during the time interval between the first time and the second time. (Hedberg: for the remaining portions of the claim, see figs. 3, 3a, paragraph 20: "The output signals of D-flip-flops 70 and 72 are associated with A and C, respectively in FIG. 3a, whereas the output signal from the flip-flop 92 is associated with B. By carrying through these three readings and comparing them it is possible to see how the reading points are located in the "data eye". If the reading occurs too early, A will deviate from B, which results in the gate 74 emitting a signal implying that the clock phase should be increased. Correspondingly C will deviate at late reading resulting in the gate 76 emitting a signal implying that the clock phase should be decreased. ")
- As per claim 12, the method of claim 11 wherein the interval between said first time and said second time is approximately 1/8 of the period of the DCE clocking signal (Hedberg fig. 3: when element 55 rotates the clock by 90 degrees, the interval between the first time and second time will be ½ of the period of the DCE clocking signal and 1/4 is approximately 1/8.).
- 7. As per claim 13, the method of claim 11, further comprising the step of generating a selector control signal if said first sample is different from said second sample (Hedberg: figs, 3,

Application/Control Number: 09/353,120 Page 5

Art Unit: 2631

3a, paragraph 20: "The output signals of D-flip-flops 70 and 72 are associated with A and C, respectively in FIG. 3a, whereas the output signal from the flip-flop 92 is associated with B. By carrying through these three readings and comparing them it is possible to see how the reading points are located in the "data eye". If the reading occurs too early, A will deviate from B, which results in the gate 74 emitting a signal implying that the clock phase should be increased. Correspondingly C will deviate at late reading resulting in the gate 76 emitting a signal implying that the clock phase should be decreased.").

## Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 14, 15, 25 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hedberg.
- As per claim 14, the method of claim 13, further comprising the steps of: inverting said circuit clocking signal to produce an inverted circuit clocking signal (Hedberg fig. 12: CK90 is an inversion of CK0 shifted by 90 degrees. If another shift of 90 degrees is made then this will be an inversion); and producing said internal clocking signal that is selected in response to said selector control signal, from the group consisting of said DCE clocking signal and said inverted clocking signal (not in Hedberg since Hedberg can choose DCE clocking signal, inverted clocking signal (i.e. shift of 180 degrees) or shift of 90 degrees; however, it would have been

Art Unit: 2631

obvious to one skilled in the art at the time of the invention to modify Hedberg to only teach DCE clocking signal or inverted clocking signal since lacking any criticality, to eliminate prior art parts (i.e. only keeping the 0 degree and 180 degree choice and removing the 90 degree choice) and its function does not make the claimed invention patentable over that prior art (In re Karlson, 153 USPQ 184). Also, lacking any criticality, changing the proportion of prior art parts (i.e. only have a 0 degree choice or a 180 degree choice and not a 90 degree choice) does not make the claimed invention patentable over that prior art (In re Reese, 129 USPQ 402). Also, lacking any criticality, changing the size or range (i.e. only have a 0 degree choice or a 180 degree choice and not a 90 degree choice) of the prior art parts does not make the claimed invention patentable over that prior art (In re Rose, 105 USPQ 237).)

- 11. As per claim 15, the method of claim 14 further comprising the step of latching said DTE data signal (Hedberg: inherent for the data to be latched in the flip flops)
- 12. As per claim 25, the method of claim 15 further comprising the step of performing said obtaining step and said latching step according to a time sequence referenced to said internal clocking signal (Hedberg fig. 3: flip flops obtain and latch the data according to internal clocks which are delayed).
- 13. As per claim 29, the method of claim 13, further comprising the steps of: inverting said internal clocking signal to produce an inverted circuit clocking signal; and producing said DCE

Art Unit: 2631

clocking signal that is selected in response to said selector control signal, from the group consisting of said internal clocking signal and said inverted clocking signal. (discussed above)

- 14. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Guttag 6,232,955
- 15. As per claim 11, Guttag teaches a method for detecting errors in the synchronization of a DTE data signal with a DCE clocking signal in a communication environment wherein the DCE interfaces the DTE to a communication channel, the method comprising the steps of (preamble is not afforded patentable weight):
  - e. providing a master clock signal (Guttag fig. 33: DOTCLK);
  - f. deriving a DCE clocking signal (Guttag fig. 33: VCLK) and an internal clocking signal (Guttag fig. 34: SCLK) from said master clocking signal, said internal clocking signal having the same frequency as the and said DCE clocking signal having a first frequency that is a fraction of the frequency of the master clock signal (Guttag fig. 33: VCLK and SCLK have frequencies which are a fraction of the DOTCLK frequency);
  - g. obtaining a first sample of said DTE data signal at a first time (Guttag fig. 47: 20) a second sample of said DTE data signal at a second time (Guttag fig. 47: 21) (portion for this not in Guttag but it would be obvious as explained below), said second time being subsequent to said first time (Guttag fig. 47: 21 is after 20), the time interval between said first time and said second time being less than the period of the DCE clocking signal (Guttag fig. 47: 20 and 21 occur within one DOTCLK period)
  - h. comparing said first sample to said second sample and determining whether the DTE data signal has undergone a transition during the time interval between the first time

and the second time (Guttag teaches pixel bits p0 to p31 and as these pixel bits are used for display purposes, a person would be able to visually see the transition of the image between two times).

Although Guttag teaches data over a time period under the DOTCLK, Guttag does not teach obtaining a first sample of said DTE data signal at a first time a second sample of said DTE data signal at a second time. It is common knowledge that since data exists, data will be obtained. It would have been obvious to one skilled in the art at the time of the invention to modify Guttag to teach that the data will be obtained. One would have been motivated to do so in order for Guttag to be efficient - since it is working with data, if it does not obtain the data, the data is wasted.

# Allowable Subject Matter

- 17. Claims 1-7, 10, 16, 19-20, 27-28 are allowed.
- 18. See an earlier action for details.
- 19. Claims 21 and 22 are objected.

TEMESCHEN GHEBRETINSAE

Art Unit: 2631

#### Conclusion

20. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pankaj Kumar whose telephone number is (703) 305-0194. The examiner can normally be reached on Mon, Tues, Wed and Thurs after 8AM to after 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad H. Ghayour can be reached on (703) 306-3034. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PK

Page 9